

A B O U T U S

We grow and we stay committed to our people for the quality they expect from us. The technology and the products that have made our brand the preferred brand over others, we are constant on delivering the same and even better. We are a one source enterprise for manufacturing, distributing and delivering laminates.



ultimate make of new artistry



IT'S SIMPLY Abutous

Effortless charm meets standout style. A celebration of beauty, boldness, and brilliance—designed to make every space unforgettable.




Where creativity meets charisma—crafted to inspire, impress, and elevate every space with bold elegance and refined detail, A vibrant fusion of imagination and elegance—where bold ideas transform into breathtaking designs that radiate style and sophistication.









Beige texture offer a calm, collected charm—effortlessly blending into any space while adding a layer of sophistication and depth






F A B R I C










/F A B R I C









F A B R I C









/ The elegance of grey meets refined surface textures, creating a visual and tactile harmony that soothes and impresses.








/F A B R I C
































\mathbf{F} A B R I C





Inspired by the softness of woven threads, fabric textures infuse interiors with factile warmth and subtle elegance.

















































7615



Classic wooden textures are reimagined with a contemporary twist, combining tradition and innovation for a sleek, sophisticated look that fits perfectly into modern interiors.







timeless elegance



7628



/ Wooden texture capture the natural beauty of wood, bringing the outdoors into your home. Every grain is a testament to nature's artistry, offering a warm and inviting feel to any space.












The intricate patterns and natural hues of wooden texture create a perfect blend of rustic charm and contemporary refinement, enhancing your space with every detail.







7626





7608



Wooden texture add depth and character to any design. With every subtle groove and grain, they bring a sense of authenticity, warmth, and timeless appeal to your surroundings.






/P L A I N





D.GREY



L.GREY

TECHNICAL

Size: 1220mm x 2440mm

Finishes: Suede, Matt, Glossy & Variable Texture.

Back Side Finish: Uniform Sanding gives guarantee for easy pasting.

Durability: The best technology provides high durability to our Laminates. Our Laminates are mended for life time.

Flexibility: A Specialty formulated phenol formaldebyde and melamine for formaldebyde resins with a special kind of plasticizer is used for better flexibility.

Note: Sample pasted here in represent only colour and finish, may not actual thickness. Please keep laminates away from direct sunlight.

Bonding of Laminate under high humidity, plywood with high moisture content, ply with uneven surface, inferior quality adhesive and insufficient pressure may lead to delamination / air bubbles in between ply and laminates.

The product must be inspected prior to installation and our liability will be limited to the extent of the cost of the product only.

Care & Maintenance: Wipe clean with ordinary soap or household liquid detergent. For stubborn stains, use diluted organic solvent or stain remover. Abrasive cleaners and wire brushes are not recommended.

Properties	Specified Values as per IS: 2046-1993 type S, VGS	Confirms
Resistance to surface wear	350 (Revolution)	>350 (Revolution)
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0% (maximum) 11.8% (Maximum) Not worse than 4	5.0% Max. 6.5% Max.
Resistance to dry heat 180® C	Not worse than 4	
Dimensional Stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.55% (Maximum) 1.025% (Maximum)	0.5% Max. 0.87% Max.
Dimensional Stability at 20® C - Longitudinal (%) - Transverse (%)	0.375% (Maximum) 0.60% (Maximum)	0.295% Max. 0.45% Max.
Resistance to impact by small diameter ball	20 N (Minimum)	25 N (Minimum)
Resistance to cracking	Not worse than 4	
Resistance to scratching	2.0 N (Minimum)	2.75 N (Minimum)
Resistance to staining	Not worse than 5	
Resistance to color change (Wool Standard) - In xenon arc light - In enclosed carbon arc light	Not worse than 5 Not worse than 5	
Resistance to cigarette burns	Not worse than 3	







